

# TECHNICAL SHEET

## Sunbrella® Natte

Outdoor upholstery fabric

CHARACTERISTICS	VALUES		UNITS	STANDARDS
	WARP	WEFT		

### OVERALL CHARACTERISTICS

Composition	100% solution dyed acrylic			
Finish	Stain-resistant treatment: exclusive Glen Raven formulation. Does not contain PFOS (perfluorooctanyl sulphonate)			
Weave	Braided			ISO 7211-1
Weight	280		g/m <sup>2</sup>	ISO 3801
Width	137		cm	EN 1773

### FABRIC STRENGTH

Fire resistance	Class 1			U.F.A.C.
Oil-repellent properties	5		class /8	ISO 14419
Tensile strength	180	100	daN	ISO 13934-1
Elongation at break	26	33	%	ISO 13934-1
Tear strength	13	10.5	daN	ISO 13937-1
Stitching strength	45	45	daN	ISO 13935-1
Abrasion (Martindale)	10 000		nb cycles	ISO 12947-2
Schmerber	90		mm	ISO 811
Spray test	5		class /5	ISO 4920
Air permeability	700		l/m <sup>2</sup> /s	ISO 9237
Stability on washing (40 °C)	-1.5	-1	%	ISO 5077

### COLOUR RESISTANCE

Colour fastness UV	7/8		class /8	ISO 105 B02
Colour fastness weather condition	7/8		class /8	ISO 105 B04
Colour fastness 40°C washing	5		class /5	ISO 105 C06
Colour fastness dry friction	5		class /5	ISO 105X12
Colour fastness wet friction	5		class /5	ISO 105X12

### USE

Length of cut	50		lm	
Recommended use	Cushion, parasol and upholstery			
Guarantee	3		years	



**Dickson - Constant**

10, rue des Châteaux - BP 109  
Z.I la Pilaterie  
59443 Wasquehal cedex - France  
Tél. : +33.(0)3.20.45.59.59  
Fax : +33.(0)3.20.45.59.00  
www.dickson-constant.com

The values for this product may have a variation of +/-5%.  
Stitch test carried out with 32pts/100mm, a 110 needle, and a 100% Pes 74 tex thread.